Directory Implementation The selection of directory-allocation and directory-management algorithms significantly affects the efficiency, performance, and reliability of the file system. Each hash entry can be a linked list instead of an individual value, and we can resolve collisions by adding the new entry to the linked list. However, the requirement that the list be kept sorted may complicate creating and deleting files, since we may have to move substantial amounts of directory information to maintain a sorted directory. Lookups may be somewhat slowed, because searching for a name might require stepping through a linked list of colliding table entries. 12.3.1 Linear List The simplest method of implementing a directory is to use a linear list of file names with pointers to the data blocks. We can mark the entry as unused (by assigning it a special name, such as an all-blank name, or by including a used - unused bit in each entry), or we can attach it to a list of free directory entries. Insertion and deletion are also fairly straightforward, although some provision must be made for collisions--situations in which two file names hash to the same location. As a result, we need a new hash function that must map file names to the range 0 to 127, and we must reorganize the existing directory entries to reflect their new hash-function values. To delete a file, we search the directory for the named file and then release the space allocated to it. To reuse the directory entry, we can do one of several things A third alternative is to copy the last entry in the directory into the freed location and to decrease the length of the directory. The real disadvantage of a linear list of directory entries is that finding a file requires a linear search. In fact, many operating systems implement a software cache to store the most recently used directory information. The hash table takes a value computed from the file name and returns a pointer to the file name in the linear list. A cache hit avoids the need to constantly reread the information from disk. A sorted list allows a binary search and decreases the average search time. An advantage of the sorted list is that a sorted directory listing can be produced without a separate sort step. Here, a linear list stores the directory entries, but a hash data structure is also used. The major difficulties with a hash table are its generally fixed size and the dependence of the hash function on that size. For example, assume that we make a linear-probing hash table that holds 64 entries. The hash function converts file names into integers from 0 to 63 (for instance, by using the remainder of a division by 64). If we later try to create a 65th file, we must enlarge the directory hash table--say, to 128 entries. Alternatively, we can use a chained-overflow hash table. In this section, we discuss the trade-offs involved in choosing one of these algorithms. This method is simple to program but time-consuming to execute A linked list can also be used to decrease the time required to delete a file. Directory information is used frequently, and users will notice if access to it is slow. Therefore, it can greatly decrease the directory search time. Still, this method is likely to be much faster than a linear search through the entire directory. To create a new file, we must first search the directory to be sure that no existing file has the same name. Then, we add a new entry at the end of the directory. A more sophisticated tree data structure, such as a balanced tree, might help here. 12.3.2 Hash Table Another data structure used for a file directory is a hash table.