

Trauma is a pervasive human experience, yet trauma-informed care (TIC) is a skill that is underutilized in health care organizations. Traumatic events are those associated with actual or threatened risk of serious injury, death, or sexual violence that are experienced directly, indirectly (by witnessing them), or vicariously (through the experiences of a close friend or loved one).¹ Such events affect people of all ages, ethnicities, religions, vocations, socioeconomic backgrounds, sexual orientations, and gender identities throughout the world when there is war, disaster, social upheaval, family dysfunction, adverse childhood events, or chaos.^{1, 2} Responses to traumatic events vary widely, as they are influenced by a person's sociocultural history, a person's interpretation of the events, the meaning a person ascribes to the events, and the associated physical and psychological effects of the events.^{2, 3} Although the stress that follows traumatic events affects each person differently, it often produces lasting emotional, mental, physical, social, or spiritual upheaval, altering the person's ability to function.²

THE ENDURING EFFECTS OF TRAUMATIC STRESS

Over the past 20 years, biomedical research has shown that a wide range of chronic diseases, poor mental health outcomes, early deaths, and trans-**ABSTRACT:** Over the past 30 years, researchers have found that childhood trauma and its subsequent stress have a strong and cumulative effect on health in adulthood. Trauma in childhood often leads to mental health problems, skeletal fractures, and early death from conditions such as heart disease, cancer, lung disease, and liver disease.